Attorney Docket No.: 101015 – 1P US

## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Currently amended) A compound of formula (I)

$$R^{19}$$
 $R^{19}$ 
 $R^{19}$ 

or a salt or, ester or prodrug thereof;

where:

X is O or NR<sup>6</sup>;

 $\mathbf{R}^6$  is hydrogen or  $\mathbf{C}_{1-4}$ alkyl;

R<sup>1</sup> is hydrogen, halo, or -X<sup>1</sup>R<sup>11</sup>;

 $\textbf{X}^{1}$  is a direct bond, -CH<sub>2</sub>=CH<sub>2</sub>-, -O-, -NH-, -N(C<sub>1-6</sub>alkyl)-, -C(O)-, -C(O)O-, -OC(O)-,

 $-NHC(O)-,\ -N(C_{1\text{-}6}alkyl)C(O)-,\ -C(O)NH-\ or\ -C(O)N(C_{1\text{-}6}alkyl)-;$ 

 $\mathbf{R}^{11}$  is hydrogen, or a group selected from  $C_{1\text{-}6}$ alkyl,  $C_{2\text{-}6}$ alkenyl,  $C_{2\text{-}6}$ alkynyl,

 $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkenyl, heterocyclyl, heterocyclyl $C_{1-4}$ alkyl,

 $heterocyclyl C_{2\text{--}4} alkenyl \ and \ heterocyclyl C_{2\text{--}4} alkynyl \ which \ group \ is \ optionally \ substituted$  by 1 or 2 substituents independently selected from halo, hydroxy,  $C_{1\text{--}4} alkoxy$ ,

hydroxy $C_{1-4}$ alkyl,  $-NR^9R^{10}$ ,

-C(O)R $^9$ , -C(O)NR $^9$ R $^{10}$  and -C(O)OR $^9$ ;

 $\mathbf{R}^2$  is hydrogen, halo, nitro, cyano or  $-\mathbf{X}^2\mathbf{R}^{12}$ ;

 $\mathbf{X}^2$  is a direct bond, -O-, -NH-, -N(C<sub>1-6</sub>alkyl)-, -OC(O)- or -C(O)O-;

 $\mathbf{R}^{12}$  is hydrogen, or a group selected from  $C_{1-6}$ alkyl,  $C_{2-6}$ alkenyl,  $C_{2-6}$ alkynyl,

 $C_{3\text{-}6} cycloalkyl,\ C_{3\text{-}6} cycloalkenyl,\ aryl,\ arylC_{1\text{-}4} alkyl,\ arylC_{2\text{-}4} alkenyl,\ arylC_{2\text{-}4} alkynyl,\ arylC_{2\text{-}4}$ 

heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl, heterocyclylC<sub>2-4</sub>alkenyl and heterocyclylC<sub>2-4</sub>alkynyl,

```
which group is optionally substituted by 1, 2 or 3 substituents selected from halo.
hydroxy, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, -NR<sup>15</sup>R<sup>16</sup>, -NHC(O)NR<sup>15</sup>R<sup>16</sup>, -C(O)R<sup>15</sup> and -C(O)OR<sup>15</sup>;
\mathbf{R}^3 is hydrogen, halo or -\mathbf{X}^3\mathbf{R}^{13};
X^3 is a direct bond, -CH_2=CH_2-, -O-, -NH-, -N(C_{1-6}alkyl)-, -C(O)-, -C(O)O-, -OC(O)-,
-NHC(O)-, -N(C_{1-6}alkyl)C(O)-, -C(O)NH- or -C(O)N(C_{1-6}alkyl)-;
\mathbf{R}^{13} is hydrogen or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl,
C<sub>3-6</sub>cycloalkenyl, aryl, arylC<sub>1-4</sub>alkyl, arylC<sub>2-4</sub>alkenyl, arylC<sub>2-4</sub>alkynyl, heterocyclyl,
heterocyclylC<sub>1-4</sub>alkyl, heterocyclylC<sub>2-4</sub>alkenyl and heterocyclylC<sub>2-4</sub>alkynyl which group is
optionally substituted by 1 or 2 substituents independently selected from -NR<sup>7</sup>R<sup>8</sup>.
-C(O)NR<sup>7</sup>R<sup>8</sup>, halo, hydroxy, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl,
hydroxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl,
C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl;
R<sup>7</sup> and R<sup>8</sup> are independently selected from hydrogen, heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl,
C<sub>1-4</sub>alkylheterocyclylC<sub>1-4</sub>alkyl, C<sub>1-6</sub>alkyl, hydroxyC<sub>1-6</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-6</sub>alkyl,
C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, hydroxyC<sub>3-6</sub>cycloalkyl,
hydroxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkyl, hydroxyC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl,
hydroxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>3-6</sub>cycloalkyl,
C_{1-4}alkoxyC_{3-6}cycloalkylC_{1-4}alkyl, haloC_{1-6}alkyl, haloC_{3-6}cycloalkyl,
haloC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>2-6</sub>alkynyl, cyanoC<sub>1-4</sub>alkyl, aminoC<sub>1-6</sub>alkyl,
C_{1-4}alkylaminoC_{1-6}alkyl, bis(C_{1-4}alkyl)aminoC_{1-6}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl,
hydroxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl,
C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl;
or R<sup>7</sup> and R<sup>8</sup> together with the nitrogen to which they are attached form a heterocyclic
ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is
nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO<sub>2</sub>, and
which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents
independently selected from C<sub>1-4</sub>alkyl, hydroxy, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl,
C_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkoxyC_{1-4}alkoxyC_{1-4}alkoxy,
hydroxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl,
C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl, and where a
ring –CH<sub>2</sub>- is optionally replaced with –C(O)-;
\mathbf{R}^4 is selected from hydrogen, halo or -X^4R^{14};
X^4 is a direct bond, -O-, -NH- or -N(C<sub>1-6</sub>alkyl)-;
```

**Application No.:** 10/552,425 **Attorney Docket No.:** 101015 – 1P US

 $\mathbf{R}^{14}$  is selected from hydrogen,  $C_{1-6}$ alkyl,  $C_{2-6}$ alkenyl and  $C_{2-6}$ alkynyl;

 ${f R}^5$  is aryl or heteroaryl optionally substituted by 1, 2 or 3 substituents independently selected from halo, hydroxy, cyano, nitro, amino,  $C_{1\text{-}4}$ alkylamino, bis( $C_{1\text{-}4}$ alkyl)amino,  $C_{1\text{-}4}$ alkyl,  $C_{2\text{-}4}$ alkenyl,  $C_{2\text{-}4}$ alkynyl,  $C_{1\text{-}4}$ alkoxy, -CONHR<sup>17</sup>, -NHCOR<sup>18</sup> –SR<sup>17</sup>, -S(O)R<sup>17</sup> and -S(O)OR<sup>17</sup>;

 $\mathbf{R^9}$ ,  $\mathbf{R^{10}}$ ,  $\mathbf{R^{15}}$  and  $\mathbf{R^{16}}$  are independently selected from hydrogen,  $C_{1\text{-}6}$ alkyl,  $C_{3\text{-}6}$ cycloalkyl,  $C_{3\text{-}6}$ cycloalkyl, halo $C_{1\text{-}6}$ alkyl, amino $C_{1\text{-}6}$ alkyl,

 $C_{1-4}$ alkylamino $C_{1-6}$ alkyl and bis $(C_{1-4}$ alkyl)amino $C_{1-6}$ alkyl;

or  $\mathbf{R}^9$  and  $\mathbf{R}^{10}$  together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO<sub>2</sub>, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from  $C_{1-4}$ alkyl, hydroxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl,

 $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkylcarbonyl, hydroxy $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl,

 $C_{1-4}$ alkylamino $C_{1-4}$ alkylcarbonyl and bis $(C_{1-4}$ alkyl)amino $C_{1-4}$ alkylcarbonyl, and where a ring  $-CH_2$ - is optionally replaced with -C(O)-;

 ${f R}^{17}$  and  ${f R}^{18}$  are independently selected from hydrogen,  $C_{1\text{-}4}$ alkyl,  $C_{3\text{-}6}$ cycloalkyl,  $C_{2\text{-}4}$ alkenyl and  $C_{2\text{-}4}$ alkynyl;

 $R^{19}$  is hydrogen, hydroxyC<sub>1-4</sub>alkyl, -C(O)R<sup>20</sup>, -C(O)OR<sup>20</sup>, -CONR<sup>20</sup>R<sup>21</sup>, -NHC(O)R<sup>20</sup> or -NHC(O)OR<sup>20</sup>;

 $\mathbf{R}^{20}$  are  $\mathbf{R}^{21}$  are independently selected from hydrogen,  $C_{1-4}$ alkyl and aryl.

## 2. (Previously presented) A compound of formula (IA)

or salt or ester thereof

where X,  $X^1$ ,  $X^2$ ,  $X^3$ ,  $R^4$ ,  $R^5$  and  $R^{19}$  are as defined in relation to formula (I) and  $R^{1'}$  is hydrogen, halo, or  $-X^1R^{11'}$ ;

 $R^{11'}$  is hydrogen, phosphonooxy or a group selected from  $C_{1-6}$ alkyl,  $C_{2-6}$ alkenyl,  $C_{2-6}$ alkynyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkenyl, heterocyclyl, heterocyclyl $C_{1-4}$ alkyl, heterocyclyl $C_{2-4}$ alkenyl and heterocyclyl $C_{2-4}$ alkynyl which group is optionally substituted by a substituent selected from halo, hydroxy, phosphonooxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $-NR^9'R^{10'}$ ,  $-C(O)R^9'$ ,  $-C(O)NR^9'R^{10'}$  and  $-C(O)OR^9'$ :

R<sup>2</sup> is hydrogen, halo, nitro, cyano or –X<sup>2</sup>R<sup>12</sup>;

 $R^{12'}$  is hydrogen, phosphonooxy or a group selected from  $C_{1-6}$ alkyl,  $C_{2-6}$ alkenyl,  $C_{2-6}$ alkynyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkenyl, aryl, aryl $C_{1-4}$ alkyl, aryl $C_{2-4}$ alkenyl, aryl $C_{2-4}$ alkynyl, heterocyclyl $C_{1-4}$ alkyl, heterocyclyl $C_{2-4}$ alkenyl and heterocyclyl $C_{2-4}$ alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, phosphonooxy,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy,  $-NR^{15'}$ R $^{16'}$ ,  $-NHC(O)NR^{15'}$ R $^{16'}$ ,  $-C(O)R^{15'}$  and  $-C(O)OR^{15'}$ ;

 $\mathbf{R}^{3}$  is hydrogen, halo or  $-\mathbf{X}^{3}\mathbf{R}^{13}$ ;

R<sup>13'</sup> is hydrogen, phosphonooxy or a group selected from C<sub>1-6</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>2-6</sub>alkynyl, C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkenyl, aryl, arylC<sub>1-4</sub>alkyl, arylC<sub>2-4</sub>alkenyl, arylC<sub>2-4</sub>alkynyl, heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl, heterocyclylC<sub>2-4</sub>alkenyl and heterocyclylC<sub>2-4</sub>alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from  $-NR^{7}R^{8}$ .  $-C(O)NR^{7}R^{8}$ , halo, hydroxy, phosphonooxy. C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl, phosponooxyC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkylcarbonyl, phosphonooxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl:  $\mathbf{R}^{7'}$  and  $\mathbf{R}^{8'}$  are independently selected from hydrogen, heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkylheterocyclylC<sub>1-4</sub>alkyl, C<sub>1-6</sub>alkyl, hydroxyC<sub>1-6</sub>alkyl, phosphonooxyC<sub>1-6</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-6</sub>alkyl, C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, hydroxyC<sub>3-6</sub>cycloalkyl, phosphonooxyC<sub>3-6</sub>cycloalkyl, hydroxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkyl, phosphonooxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkyl, hydroxyC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, phosphonooxyC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, phosphonooxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>3-6</sub>cycloalkyl,  $C_{1-4}$ alkoxy $C_{3-6}$ cycloalkyl $C_{1-4}$ alkyl, halo $C_{1-6}$ alkyl, halo $C_{3-6}$ cycloalkyl, haloC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>2-6</sub>alkynyl, cyanoC<sub>1-4</sub>alkyl, aminoC<sub>1-6</sub>alkyl,

 $C_{1-4}$ alkylamino $C_{1-6}$ alkyl, bis $(C_{1-4}$ alkyl)amino $C_{1-6}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, phosphonooxyC<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkylcarbonyl, phosphonooxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl,  $C_{1-4}$ alkylamino $C_{1-4}$ alkylcarbonyl and bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkylcarbonyl; or R7 and R8 together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO<sub>2</sub>, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C<sub>1-4</sub>alkyl, hydroxy, phosphonooxy, C<sub>1-4</sub>alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkylcarbonyl, phosphonooxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl, and where a ring -CH<sub>2</sub>- is optionally replaced with -C(O)-: R<sup>9</sup>, R<sup>10</sup>, R<sup>15</sup> and R<sup>16</sup> are independently selected from hydrogen, C<sub>1-6</sub>alkyl.  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkyl $C_{1-3}$ alkyl, hydroxy $C_{1-6}$ alkyl, phosphonooxy $C_{1-6}$ alkyl, haloC<sub>1-6</sub>alkyl, aminoC<sub>1-6</sub>alkyl, C<sub>1-6</sub>alkylaminoC<sub>1-6</sub>alkyl and bis(C<sub>1-6</sub>alkyl)aminoC<sub>1-6</sub>alkyl; or R9' and R10' together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO<sub>2</sub>, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C<sub>1-4</sub>alkyl, hydroxy, phosphonooxy, C<sub>1-4</sub>alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkylcarbonyl, phosphonooxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl, and where a ring –CH<sub>2</sub>- is optionally replaced with -C(O)-;

3. (Previously presented) A compound or a salt or ester thereof according to claim 2 containing only one phosphonooxy group.

provided that a compound of formula (IA) contains at least one phosphonooxy group.

**Application No.:** 10/552,425 Attorney Docket No.: 101015 – 1P US

4. (Currently amended) A compound or a salt or, ester of prodrug thereof according to claim 1 wherein R<sup>1</sup> is hydrogen, halo or -OR<sup>11</sup> and R<sup>11</sup> is hydrogen or a group selected from C<sub>1-6</sub>alkyl, heterocyclyl and heterocyclylC<sub>1-4</sub>alkyl, which group is optionally substituted by a substituent selected from hydroxy, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl.

- 5. (Currently amended) A compound or a salt or, ester of prodrug thereof according to claim 1 wherein R<sup>2</sup> is hydrogen, halo, -OR<sup>12</sup> or -OC(O)R<sup>12</sup> and R<sup>12</sup> is hydrogen or a group selected from C<sub>1.4</sub>alkyl, aryl, heterocyclyl and heterocyclylC<sub>1.4</sub>alkyl which group is optionally substituted by a substituent selected from C<sub>1-4</sub>alkyl and C<sub>1-4</sub>alkoxy.
- 6. (Currently amended) A compound or a salt or, ester of prodrug thereof according to claim 1 wherein R<sup>3</sup> is hydrogen or -X<sup>3</sup>R<sup>13</sup> and R<sup>13</sup> is hydrogen, methyl, ethyl, propyl, heterocyclyl, heterocyclylmethyl, heterocyclylethyl or heterocyclylpropyl which methyl, ethyl or propyl are optionally substituted by  $-NR^7R^8$ ,  $-C(O)NR^7R^8$  or 1 or 2 halo, hydroxy or C<sub>1-4</sub>alkoxy substituents and which heterocyclylmethyl, heterocyclylethyl or heterocyclylpropyl are optionally substituted on heterocyclyl by hydroxy, C<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkyl or hydroxyC<sub>1-4</sub>alkylcarbonyl.
- 7. (Currently amended) A compound or a salt or, ester of prodrug thereof according to claim 6 wherein R<sup>7</sup> and R<sup>8</sup> are independently selected from hydrogen, heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkylheterocyclylC<sub>1-4</sub>alkyl, C<sub>1-6</sub>alkyl, hydroxyC<sub>1-6</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, hydroxyC<sub>3-6</sub>cycloalkyl, hydroxy $C_{1-4}$ alkyl $C_{3-6}$ cycloalkyl, halo $C_{1-6}$ alkyl,  $C_{2-4}$ alkenyl,  $C_{2-4}$ alkynyl, cyano $C_{1-4}$ alkyl, amino $C_{1-4}$ alkyl,  $C_{1-4}$ alkylamino $C_{1-4}$ alkyl, bis $(C_{1-4}$ alkyl)amino $C_{1-4}$ alkyl, hydroxyC<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl and hydroxyC<sub>1-4</sub>alkylcarbonyl; or R<sup>7</sup> and R<sup>8</sup> together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine. pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C<sub>1-4</sub>alkyl, hydroxy, hydroxyC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkylcarbonyl and hydroxy $C_{1-4}$ alkylcarbonyl, and where a ring  $-CH_2$ - is optionally replaced with -C(O)-.

8. (Previously presented) A compound or a salt or ester thereof according to claim 2 wherein  $R^{1'}$  is hydrogen, halo or  $-OR^{11'}$  and  $R^{11'}$  is hydrogen, phosphonooxy or a group selected from  $C_{1-6}$ alkyl, heterocyclyl and heterocyclyl $C_{1-4}$ alkyl, which group is optionally substituted by a substituent selected from hydroxy, phosphonooxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl, phosphonooxy $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylamino $C_{1-4}$ alkylcarbonyl.

- 9. (Previously presented) A compound or a salt or ester thereof according to claim 2 wherein  $R^{2'}$  is hydrogen, halo,  $-OR^{12'}$  or  $-OC(O)R^{12'}$  and  $R^{12'}$  is hydrogen, phosphonooxy or a group selected from  $C_{1-4}$ alkyl, aryl, heterocyclyl and heterocyclyl $C_{1-4}$ alkyl which group is optionally substituted by a substituent selected from  $C_{1-4}$ alkyl and  $C_{1-4}$ alkoxy.
- 10. (Previously presented) A compound or a salt or ester thereof according to claim 2 wherein  $R^{3'}$  is hydrogen, phosphonooxy or  $-X^3R^{13'}$  and  $R^{13'}$  is hydrogen or a group selected from  $C_{1-6}$ alkyl, aryl, aryl $C_{1-4}$ alkyl, heterocyclyl and heterocyclyl $C_{1-4}$ alkyl, which group is optionally substituted by 1 or 2 substituents independently selected from  $-NR^{7'}R^{8'}$ ,  $-C(O)NR^{7'}R^{8'}$ , halo, hydroxy, phosphonooxy,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl, phosphonooxy $C_{1-4}$ alkylcarbonyl and  $C_{1-4}$ alkylcarbonyl.
- 11. (Previously presented) A compound or a salt or ester thereof according to claim 10 wherein  $R^{7'}$  and  $R^{8'}$  are independently selected from hydrogen, heterocyclyl, heterocyclyl $C_{1-4}$ alkyl,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkyl,  $C_{1-6}$ alkyl, hydroxy $C_{1-6}$ alkyl, phosphonooxy $C_{1-6}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkyl, hydroxy $C_{3-6}$ cycloalkyl, phosphonooxy $C_{3-6}$ cycloalkyl, hydroxy $C_{1-4}$ alkyl $C_{3-6}$ cycloalkyl, halo $C_{1-6}$ alkyl,  $C_{2-4}$ alkenyl,  $C_{2-4}$ alkynyl, cyano $C_{1-4}$ alkyl, amino $C_{1-4}$ alkyl, bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl and phosphonooxy $C_{1-4}$ alkylcarbonyl; or  $R^{7'}$  and  $R^{8'}$  together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which

ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from  $C_{1-4}$ alkyl, hydroxy, phosphonooxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkylcarbonyl, hydroxy $C_{1-4}$ alkylcarbonyl and phosphonooxy $C_{1-4}$ alkylcarbonyl, and where a ring  $-CH_2$ - is optionally replaced with -C(O)-.

- 12. (Currently amended) A compound or a salt or, ester or prodrug thereof according to claim 1 wherein X is NH.
- 13. (Currently amended) A compound or a salt  $or_{\overline{1}}$  ester or prodrug-thereof according to claim 1 wherein  $R^4$  is hydrogen.
- 14. (Currently amended) A compound or a salt or, ester or prodrug thereof according to claim 1 wherein R<sup>5</sup> is anyl optionally substituted by 1 or 2 halo.
- 15. (Currently amended) A compound or a salt<u>or</u>, ester <del>or prodrug</del> thereof according to claim 1 wherein R<sup>19</sup> is hydrogen, hydroxycarbonyl, ethoxycarbonyl, aminocarbonyl and acetylamino.
- 16. (Currently amended) A compound of formula (I) selected from:
- 2-(4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- $2-(4-\{[7-(2-chloroethoxy)quinazolin-4-yl]amino\}-1$  *H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- $2-(4-\{[7-(2-\text{chloroethoxy})-6-\text{methoxyquinazolin-}4-yl]\text{amino}\}-1\text{\textit{H}-pyrazol-}1-yl)-\textit{N}-(2,3-\text{difluorophenyl})$  acetamide;

- *N*-(2,3-difluorophenyl)-2-(4-{[7-(2,2-dimethoxyethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxamide;
- ethyl 4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxylate;
- 2-(3-(acetylamino)-4- $\{[7-(3-chloropropoxy)quinazolin-4-yl]amino\}-1$ *H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- *N*-(2,3-difluorophenyl)-2-[4-(quinazolin-4-ylamino)-1*H*-pyrazol-1-yl]acetamide;
- $2-(4-\{[7-(3-chloropropoxy)-5-isopropoxyquinazolin-4-yl]amino}-1$ *H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)-5-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- $2-(4-\{[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino}-1$ *H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- *N*-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 2-[4-({7-[3-(diethylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;
- *N*-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

```
2-[4-({7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1 H-pyrazol-1-yl]-N-(3-fluorophenyl)acetamide;
```

2-{4-[(7-{3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-[4-({7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

 $2-\{4-[(7-\{3-[bis(2-hydroxyethyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1$  pyrazol-1-yl $\}-N-(3-fluorophenyl)$  acetamide;

2-{4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

2-{4-[(7-{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyguinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

 $2-\{4-[(7-\{3-[(cyclopropylmethyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1$  pyrazol-1-yl $\}-N-(3-fluorophenyl)$ acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-

yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[allyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

- *N*-(3-fluorophenyl)-2-[4-({7-[3-(3-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

- *N*-(3-fluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2- $\{4-[(7-\{3-[(cyclopropylmethyl)(propyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1$ *H* $-pyrazol-1-yl}-$ *N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N-(3-fluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-
- yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- $2-\{4-[(7-\{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1$ *H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- $2-\{4-[(7-\{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1$ *H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-(4-{[7-(3-azetidin-1-ylpropoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;

2-{4-[(6,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-hydroxy-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-[4-({7-[3-(dimethylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide

2-[4-({7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

 $N-(2,3-difluorophenyl)-2-[4-(\{6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl\}amino)-1$ *H-*pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-[4-({7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[3-(3-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

 $2-\{4-[(7-\{3-[(cyclopropylmethyl)(propyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1 \\ H-pyrazol-1-yl\}-N-(2,3-difluorophenyl)acetamide;$ 

2-{4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

```
2-\{4-[(7-\{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy\}-6-methoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-nethoxyquinazolin-4-neth
```

yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-

yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-

yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

 $2-\{4-[(7-\{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1$ 1*H*-pyrazol-1-yl $\}-N-(2,3-difluorophenyl)acetamide;$ 

2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

 $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1 <math>H$ -pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(2-{4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[2-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxy-1,1-dimethylethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

```
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
```

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(*trans*-4-hydroxycyclohexyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[3-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(2-{[1-(hydroxymethyl)cyclopentyl]amino}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(3-hydroxypropyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(propyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-diethylpropyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

 $yl) amino] ethoxy \{-6-methoxy quinazolin-4-yl\} amino] -1 \\ \textit{H-pyrazol-1-yl} acetamide;$ 

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2R)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

 $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2-hydroxyethyl)(propyl)amino]propoxy\}quinazolin-4-yl)amino]-1$ *H*-pyrazol-1-yl}acetamide;

 $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy\}quinazolin-4-yl)amino]-1$   $H-pyrazol-1-yl\}acetamide;$ 

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2S)-2-(hydroxymethyl)pyrrolidin-1-

yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-

yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-

dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[(2-cyanoethyl)(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-2,2-

dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)-3-oxopiperazin-1-

yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[3-(propylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

```
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[glycoloyl(propyl)amino]propoxy}quinazolin-4-
yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloylpiperazin-1-yl)propoxy]quinazolin-4-
yl}amino)-1H-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[trans-2-
(hydroxymethyl)cyclohexyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-
yl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(1\alpha,5\alpha,6\alpha)-6-(hydroxymethyl)-3-azabicyclo[3.1.0]hex-
3-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(2R)-2-hydroxypropyl]amino}propoxy)quinazolin-4-
yl]amino}-1H-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(1S)-2-hydroxy-1-
methylethyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxy-1,1-
dimethylethyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,3-dihydroxypropyl)amino]propoxy}quinazolin-4-
yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[2-(2-hydroxyethoxy)ethyl]amino}propoxy)quinazolin-
4-yl]amino}-1H-pyrazol-1-yl)acetamide;
2-[4-({7-[3-(4-acetylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]-N-
(2.3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(tetrahydrofuran-2-ylmethyl)amino]propoxy}quinazolin-
4-yl)amino]-1H-pyrazol-1-yl}acetamide;
2-[4-({7-[3-(allylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]-N-(2,3-
difluorophenyl)acetamide:
N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[1-(hydroxymethyl)-2-
methylpropyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(5-methylisoxazol-3-
yl)methyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-[4-({7-[3-(tetrahydro-2H-pyran-4-ylamino)propoxy]quinazolin-4-
yl}amino)-1H-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3S)-3-(hydroxymethyl)pyrrolidin-1-
```

yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-hydroxypropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

2-(4-{[7-(3-aminopropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)-N-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2S,4R)-4-hydroxy-2-(hydroxymethyl)pyrrolidin-1-l]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-

dimethylpropyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide:

2-[4-({7-[2-(cyclopropylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-[4-({7-[2-(cyclobutylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-[4-({7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-({7-[2-(cyclopentylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

 $\textit{N-}(2,3-difluorophenyl)-2-\{4-[(7-\{2-[(2-hydroxyethyl)(tetrahydro-2\textit{H-pyran-4-hydro-2})\})\}))}$ 

yl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclopentyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2R)-2-(hydroxymethyl)pyrrolidin-1-

yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclopropyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclopentyl(3-hydroxypropyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclopentyl(glycoloyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

```
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3S)-3-(hydroxymethyl)-4-methylpiperazin-1-
yllethoxy\quinazolin-4-yl\amino\r1H-pyrazol-1-yl\acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2S)-2-(hydroxymethyl)pyrrolidin-1-
yl]ethoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-
yllethoxy\quinazolin-4-yl\amino\r1.1H-pyrazol-1-yl\acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(hydroxymethyl)piperidin-1-yl]ethoxy}quinazolin-4-
yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperidin-1-yl]ethoxy}quinazolin-4-
yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-
1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(2-{[trans-2-
(hydroxymethyl)cyclohexyl]amino}ethoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-
yl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}quinazolin-4-
vI)amino]-1H-pyrazol-1-vI}acetamide:
N-(2,3-difluorophenyl)-2-(4-{[7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1 H-
pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-
yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydro-2H-pyran-4-
yl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(2-hydroxyethyl)piperidin-1-
yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2S)-2-(2-hydroxyethyl)piperidin-1-
yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-
yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3S)-3-(hydroxymethyl)-4-methylpiperazin-1-
yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)morpholin-4-
```

yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3S)-3-(hydroxymethyl)morpholin-4-

yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-[4-({7-[3-(glycoloylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1 *H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydrofuran-3-

yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-(4-{[7-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(3-fluorophenyl)-2-[4-({7-[(2S)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{[(2S)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{[(2S)-1-glycoloylpyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-(4-{[7-(pyrrolidin-3-ylmethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{[1-(2-hydroxyethyl)pyrrolidin-3-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-[4-({7-[(1-glycoloylpyrrolidin-3-yl)methoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-

methoxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-hydroxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

 $N-(2-\frac{1}{2}[uorophenyl]-2-\frac{4-[(7-3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-$ 

yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2-fluorophenyl)acetamide;

2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-phenylacetamide;

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-phenylacetamide;

N-(2,6-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-

yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(6-fluoro-7-{3-[(2-

hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

 $\textit{N-}(2,3-\text{difluorophenyl})-2-\{4-[(6-\text{fluoro-}7-\{3-[(2R)-2-(\text{hydroxymethyl})\text{pyrrolidin-}1-\text{hydroxymethyl})\text{pyrrolidin-}1-\text{hydroxymethyl})\}$ 

yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[5-isopropoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}-5-

isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloylpiperazin-1-yl)propoxy]-5-

isopropoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(5,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(5-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-[4-({7-methoxy-5-[(2*R*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-glycoloylpyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-(*N*,*N*-dimethylglycyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

 $\textit{N-}(2,3-difluorophenyl)-2-\{4-[(5-fluoroquinazolin-4-yl)amino]-1$H-pyrazol-1-yl} acetamide;$ 

*N*-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

*N*-(3-fluorophenyl)-2-[4-({7-methoxy-6-[(1-methylpyrrolidin-3-yl)oxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

*N*-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(2-morpholin-4-ylethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

 $2-(4-\{[6,7-bis(2-methoxyethoxy)quinazolin-4-yl]amino\}-1 \textit{H-pyrazol-1-yl})-\textit{N-}(2,3-difluorophenyl) acetamide;}$ 

*N*-(3-fluorophenyl)-2-{4-[(6-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

 $4-((1-(2-((2,3-\text{difluorophenyl})\text{amino})-2-\text{oxoethyl})-1 \textit{H-}pyrazol-4-yl)\text{amino})-7-((1-\text{methylpiperidn-}4-yl)\text{methoxy})\text{quinazolin-}6-yl benzoate; } \\ N-(2,3-\text{difluorophenyl})-2-(4-((6-\text{hydroxy-}7-((1-\text{methylpiperidin-}4-yl)\text{methoxy})\text{quinazolin-}4-yl)\text{amino})-1 \textit{H-}pyrazol-1-yl)\text{acetamide}; } \\ 1-\{2-[(3-\text{fluorophenyl})\text{amino}]-2-\text{oxoethyl}\}-4-[(7-\{3-[(2-\text{hydroxyethyl})(2-\text{methoxyethyl})\text{amino}]\text{propoxy}\}-6-\text{methoxyquinazolin-}4-yl)\text{amino}]-1 \textit{H-}pyrazole-3-carboxamide}; } \\ 1-\{2-[(3-\text{fluorophenyl})\text{amino}]-2-\text{oxoethyl}\}-4-[(7-\{3-[(2S)-2-(\text{hydroxymethyl})\text{pyrrolidin-}1-yl]\text{propoxy}\}-6-\text{methoxyquinazolin-}4-yl)\text{amino}]-1 \textit{H-}pyrazole-3-carboxamide}; } \\ 2-\{3-(\text{acetylamino})-4-[(7-\{3-[(2R)-2-(\text{hydroxymethyl})\text{pyrrolidin-}1-yl]\text{propoxy}\}\text{quinazolin-}4-yl)\text{amino}]-1 \textit{H-}pyrazol-1-yl}-N-(3-\text{fluorophenyl})\text{acetamide}; } \\ \text{ethyl } 1-\{2-[(3-\text{fluorophenyl})\text{amino}]-2-\text{oxoethyl}\}-4-[(7-\{3-[(2R)-2-(\text{hydroxymethyl})\text{pyrrolidin-}1-yl]\text{propoxy}\}\text{quinazolin-}4-yl)\text{amino}]-1 \textit{H-}pyrazole-3-carboxylate}; } \\ \text{and}$ 

1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-

or a salt<u>or</u>, ester <del>or prodrug</del>thereof.

yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxylic acid;

17. (original) A compound of formula (IA) selected from: 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate; {(2*S*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate; {(2*S*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate; 2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate; 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate; {(2*S*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate; {(2*S*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]yrrolidin-2-yl}methyl dihydrogen phosphate;

```
\{(2R)-1-[3-(\{4-[(1-\{2-[(2,3-difluorophenyl)amino]-2-oxoethyl\}-1H-pyrazol-4-
yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
{(2R)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6-
methoxyquinazolin-7-yl\oxy)propyl]pyrrolidin-2-yl\methyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6-
methoxyguinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1 H-pyrazol-4-yl)amino]quinazolin-
7-yl\oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
2-{cyclobutyl[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-
6-methoxyguinazolin-7-yl}oxy)propyllamino}ethyl dihydrogen phosphate:
2-{cyclobutyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1 H-pyrazol-4-yl)amino]-6-
methoxyquinazolin-7-yl\oxy)propyl\amino\ethyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6-
methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]quinazolin-7-
yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1 H-pyrazol-4-
yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate;
2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-
yl)amino]quinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]quinazolin-
7-yl\oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;
3-{[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1 H-pyrazol-4-yl)amino]quinazolin-7-
yl\oxy)propyl]amino\-3-methylbutyl dihydrogen phosphate;
3-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1 H-pyrazol-4-yl)amino]quinazolin-
7-yl\oxy)propyl]amino\-3-methylbutyl dihydrogen phosphate;
{(2R)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-
yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
2-{4-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]quinazolin-
7-yl\oxy)propyl]piperazin-1-yl\ethyl dihydrogen phosphate
3-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1 H-pyrazol-4-yl)amino]quinazolin-
7-yl\oxy)propyl]amino\propyl dihydrogen phosphate;
```

- 2-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate; 2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
- $3-[[3-(\{4-[(1-\{2-[(2,3-difluorophenyl)amino]-2-oxoethyl\}-1 \textit{H-}pyrazol-4-yl)amino]quinazolin-7-yl]oxy)propyl](ethyl)amino]propyl dihydrogen phosphate;$
- 3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]propyl dihydrogen phosphate;
- 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]-2-oxoethyl dihydrogen phosphate;
- 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}-2-oxoethyl dihydrogen phosphate;
- $\{(2R)-1-[3-(\{4-[(1-\{2-[(2,3-difluorophenyl)amino]-2-oxoethyl\}-1\ H-pyrazol-4-yl)amino]-6-fluoroquinazolin-7-yl\}oxy) propyl] pyrrolidin-2-yl\} methyl dihydrogen phosphate;$
- 4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-6-yl dihydrogen phosphate;
- $\{(2R)-1-[3-(\{4-[(1-\{2-[(2,3-difluorophenyl)amino]-2-oxoethyl\}-1\ \textit{H}-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl\}oxy) propyl] pyrrolidin-2-yl\} methyl dihydrogen phosphate;$
- 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate; 2-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-

isopropoxyguinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;

- {(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- {(2*R*)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyguinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- {(2*S*)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- 2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate;
- 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]qinazolin-7-yl}oxy)propyl]-2-oxopiperazin-1-yl}ethyl dihydrogen phosphate; and

2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate; or a salt or ester thereof.

## 18-21. (Previously cancelled)

- 22. (Currently amended) A pharmaceutical composition comprising a compound according to claim 1, or a pharmaceutically acceptable salt<u>or</u>, ester <del>or prodrug</del> thereof, in association with a pharmaceutically acceptable diluent or carrier.
- 23. (Previously cancelled)
- 24. (Currently amended) A process for the preparation of a compound according to claim 1 or a pharmaceutically acceptable salt <u>or</u>, ester <del>or prodrug</del> thereof, which process comprises reacting a compound of formula (II)

$$R^2$$
 $R^3$ 
 $R^4$ 
(II)

where L is a suitable leaving group and  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$  are as defined in claim 1 with a compound of formula (III)

(III)

wherein R<sup>5</sup> and R<sup>19</sup> are as defined in claim 1 in the presence of hydrochloric acid in dioxane under an inert atmosphere, and thereafter if necessary:

- i) converting a compound of the formula (I) into another compound of the formula (I); and/or
- ii) removing any protecting groups; and/or
- iii) forming a salt or, ester or prodrug thereof.
- 25. (original) A process for the preparation of a compound according to claim 2 or a pharmaceutically acceptable salt thereof, which process comprises phosphorylation of a compound according to claim 1, followed by deprotection of the phosphate group to yield a compound according to claim 2.
- 26. (Currently amended) A method of treating a human suffering from colorectal-cancer, comprising the steps of administering to a person in need thereof a therapeutically effective amount of a compound according to claim 1 or a pharmaceutically acceptable salt or, ester or prodrug thereof.